CONTENTS OF VOLUME 382

January 1987

CADY E.B., CHU A., COSTELLO A.M. DE L., DELPY D.T., GARDINER R.M., HOPE P.L. & REYNOLDS E.O.R. Brain intracellular pH and metabolism during hypercapnia and hypocapnia in the new-born lamb. 1

HILL A.E. & HILL B.S. Steady-state analysis of ion fluxes in *Necturus* gall-bladder epithelial cells. 15

HILL A.E. & HILL B.S. Transcellular sodium fluxes and pump activity in *Necturus* gall-bladder epithelial cells. 35

COTTRELL G.A. & DAVIES N.W. Multiple receptor sites for a molluscan peptide (FMRFamide) and related peptides of *Helix*. 51

BAMBRICK Linda & GORDON Tessa Acetylcholine receptors and sodium channels in denervated and botulinum-toxin-treated adult rat muscle. 69

SURPRENANT Annmarie & WILLIAMS J.T. Inhibitory synaptic potentials recorded from mammalian neurones prolonged by blockade of noradrenaline uptake. 87

BLUMBERG H. & WALLIN B. Gunnar Direct evidence of neurally mediated vasodilatation in hairy skin of the human foot. 105

BORGESE Franck, GARCIA-ROMEU Federico & MOTAIS René Control of cell volume and ion transport by β-adrenergic catecholamines in erythrocytes of rainbow trout, *Salmo gairdneri*. 123

BORGESE Franck, GARCIA-ROMEU Federico & MOTAIS René Ion movements and volume changes induced by catecholamines in erythrocytes of rainbow trout: effect of pH. 145

BALLANYI K., GRAFE P. & TEN BRUGGENCATE G. Ion activities and potassium uptake mechanisms of glial cells in guinea-pig olfactory cortex slices. 159

NEUMCKE B., SCHWARZ J.R. & STÄMPFLI R. A comparison of sodium currents in rat and frog myelinated nerve: normal and modified sodium inactivation. 175

NOMA Akinori & TSUBOI Naoya Dependence of junctional conductance on proton, calcium and magnesium ions in cardiac paired cells of guinea-pig. 193

SPRUCE A.E., STANDEN N.B. & STANFIELD P.R. Studies of the unitary properties of adenosine-5′-triphosphate-regulated potassium channels of frog skeletal muscle. 213

DONSELAAR Y., EERBEEK O., KERNELL D. & VERHEY B.A. Fibre sizes and histochemical staining characteristics in normal and chronically stimulated fast muscle of cat. 237

KOWALCHUK Nancy & MCCOMAS Alan Effects of impulse blockade on the contractile properties of rat skeletal muscle. 255

BREZINA V., ECKERT R. & ERXLEBEN C. Modulation of potassium conductances by an endogenous neuropeptide in neurones of *Aplysia californica*. 267

BROWN A.G., KOERBER H.R. & NOBLE R. Excitatory actions of single impulses in single hair follicle afferent fibres on spinocervical tract neurones in the cat. 291

BROWN A.G., KOERBER H.R. & NOBLE R. Actions of trains and pairs of impulses from single primary afferent fibres on single spinocervical tract cells in cat. 313

BROWN A.G., KOERBER H.R. & NOBLE R. An intracellular study of spinocervical tract cell responses to natural stimuli and single hair afferent fibres in cats. 331

GREGORY P.C. Inhibition of reticulo-ruminal motility by volatile fatty acids and lactic acid in sheep. 355

GLUCKMAN P.D. & JOHNSTON Barbara M. Lesions in the upper lateral pons abolish the hypoxic depression of breathing in unanaesthetized fetal lambs *in utero*. 373

EDWARDS A.V. & JONES C.T. The effect of splanchnic nerve stimulation on adrenocortical activity in conscious calves. 385

ABRAMOVICH D.R., DACKE C.G., ELCOCK C. & PAGE K.R. Calcium transport across the isolated dually perfused human placental lobule. 397

ROBERTSON B. & WANN K.T. On the action of Ruthenium Red and neuraminidase at the frog neuromuscular junction. 411

SMITH Stephen J. & THOMPSON Stuart H. Slow membrane currents in bursting pace-maker neurones of *Tritonia*. 425

GALLEGO R. & GEIJO E. Chronic block of the cervical trunk increases synaptic efficacy in the superior and stellate ganglia of the guinea-pig. 449

SOFFE S.R. Ionic and pharmacological properties of reciprocal inhibition in *Xenopus* embryo motoneurones. 463

BRONK J.R. & HASTEWELL J.G. The transport of pyrimidines into tissue rings cut from rat small intestine. 475

DANIEL E.E., JAGER L.P. & JURY J. Catecholamines release mediators in the opossum oesophageal circular smooth muscle. 489

BECKER W.J., HAYASHI R., LEE R.G. & WHITE D. Effect of cutaneous nerve stimulation on voluntary and stretch reflex electromyographic activity in wrist flexors in humans. 509

HIRONO Chikara, ITO Isao & SUGIYAMA Hiroyuki Neurotensin and acetylcholine evoke common responses in frog oocytes injected with rat brain messenger ribonucleic acid. 523

LOOP Michael S., MILLICAN C. Leigh & THOMAS Shari R. Photopic spectral sensitivity of the cat. 537

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

19–20 *September* 1986

Oxford Meeting

DEMONSTRATIONS

Gordon D. & Tansey E.M. Sir Henry Wellcome, FRS (1873–1936): aspects of his life. 2*P*

Gordon D. & Tansey E.M. Sir Henry Dale: a filmed interview. 3*P*

Banister Jean, Blaschko H. & Brown Hilary Fifty years after Loewi and Dale's Nobel prize: illustrations of Loewi's fundamental discovery of 'Vagusstoff' release in the frog's heart. 4*P*

Andrews P.L.R. & Tansey E.M. The reaction of the ferret bladder to adrenaline: a modern demonstration of an experiment by T. R. Elliott and H. H. Dale. 5*P*

Andrews P.L.R. & Young J.Z. Studies of the autonomic innervation of the viscera in fishes. 6*P*

Heitler W. & Johnston I.A. Learning without a brain; an historical footnote on an experiment first carried out by G. A. Horridge. 7*P*

Huxley A.F. Studies of muscle and nerve 1957–1960 with an electron microscope provided by the Wellcome Trust at the Physiological Laboratory, University of Cambridge. 8*P*

Naeraa N. Teaching changes to improve the quality of reports in laboratory courses on medical physiology. 9*P*

Brown A.D., Stockley E.W. & Wheal H.V. Measurement of the surface area and volume of the dendrites from a 3-dimensional reconstruction of neurone. 10*P*

Laitinen Annika, Laitinen L.A., Moss R. & Widdicombe J.G. The organization and structure of tracheal and bronchial blood vessels in the dog. 11*P*

Amos A., Armstrong D.M. & Marple-Horvat D.E. Four mechanisms used to study skilled and adaptive ladder locomotion in the cat. 12*P*

Howson M.G., Khamnei S., O'Connor D.F. & Robbins P.A. The properties of a turbine device for measuring respiratory volumes in man. 13*P*

Bradbury M.W., Deane R., Macleod M., Park S.H. & Treanor M.E. A system for producing pulsatile and pulse-less vascular perfusion of an organ. 14*P*

Bertoya H.C. A system for moving limbs. 15*P*

Thomas M.V. & Timmerman M.P. Computer interface for a pulsed-wavelength spectrophotometer suitable for use with fluorescent indicators. 16*P*

Bagust J. A demonstration of stereoscopic vision using red and green images produced by the BBC microcomputer. 17*P*

Annetts C.S.J. & Nye P.C.G. A Multiplexing curcuit that enables one channel of a digital pulse code modulator to record eight channels of analogue data. 18*P*

Lovick S.E. & Normanton J.R. Analysis of neuronal firing pattern changes during microiontophoretic experiments using a BBC microcomputer. 19*P*

Egan T.M., Noble D., Noble S.J., Powell T. & Twist V.W. The use of very rapid drug application to single cardiac cells to separate components of ionic current. 20*P*

Stewart Alex A method of estimating the saturation of venous haemoglobin in man using an ear oximeter. 21*P*

Annetts C.S.J., Howse B.P.A., Hutchings M.E. & King A.J. A digitally controlled vertical hoop system for the presentation of free-field auditory and visual stimuli. 22*P*

Gascoigne W.K., McBurney R.N. & Moore J. A micromanipulator. 23*P*

Ashcroft F.M. & Kakei M. A simple method of obtaining rapid solution changes which requires only very small quantities of solutions for use in recording from excised membrane patches. 24*P*

Campers G., Godfraind J.M. & Smith G. Analysis of intracellular recordings using an Apple IIe and a CED 1401 interface. 25*P*

Godfraind J.M. & Plaghki L. Signal detection theory measurement of pain. 26P

Ellory J.C., Hall A.C., Hockaday A.R. & Stewart G.W. Is there a relationship between erythrocyte morphology and membrane transport? 27P

Collins K.J., Durnin C.J.A. & Pluck R.A. Peripheral venous compliance and vasomotor responses to cooling and warming in young and elderly human subjects. 28P

COMMUNICATIONS

Landoni L., Narici M.V. & Roi G.S. Relationship between peak torque and cross-sectional area of human knee extensor and flexor muscles by nuclear magnetic resonance imaging. 29P

Tansey E.M. The first Wellcome medical trustees: Dale and Elliott and their early collaboration. 30P

Leng G. & Shibuki K. Extracellular potassium activity in the rat neurohypophysis. 31P

Fink G., Johnson M.S., Minaur N.J., Mitchell R. & Ogier S.-A. Protein kinase C has inverse effects on LHRH- and depolarization-induced $^{45}Ca^{2+}$ influx into rat anterior pituitary tissue *in vitro*. 32P

Carlsson L.M., Clark R.G. & Robinson I.C.A.F. The inhibition of growth hormone (GH) release by exogenous GH in the rat. 33P

Clark R.G. & Robinson I.C.A.F. Growth hormone (GH) and body growth responses to intermittent somatostatin (SS) infusions in the rat. 34P

Calcutt N.A., Tomlinson D.R. & Willars G.B. Axonal transport of 6-phosphofructokinase in rats with experimental diabetes: effects of aldose reductase inhibition and insulin. 35P

Lambourne J.E., Tomlinson D.R. & Willars G.B. Effects of polyol accumulation on water content in nerves of experimentally diabetic or galactose-fed rats. 36P

Bannister R., da Costa D.F., Kooner J.S., Macdonald I.A. & Mathias C.J. Insulin-induced hypotension in autonomic failure during euglycaemia in man. 37P

Hanson C., May C.N. & Unwin R.J. Effect *in vitro* of parathormone (PHT) and the homologous peptide family vasoactive intestinal polypeptide (VIP), glucagon and secretin on renin release in the rat. 38P

Edwards A.V. & Jones C.T. Reduced adrenal cortical sensitivity to adrenocorticotrophin in calves with cut splanchnic nerves. 39P

Dumonde D.C., Jones M.T., Morris E.P., Nicholson S.A. & Wolstencroft R.A. The effect of various interleukins on the release of adrenocorticotrophin (ACTH) and luteinizing hormone (LH) from the rat anterior pituitary gland *in vitro*. 40P

Jones S.A., Kelly S.A. & Summerlee A.J.S. Evidence that chronic treatment with intravenous (i.v.) relaxin induces relaxin tolerance and opioid dependence in the oxytocin system of the lactating rat. 41P

Thomas A.L. & Thompson Sarah J. Angiotensin converting enzyme inhibition during the last quarter of gestation in the guinea-pig. 42P

Dow R.C., Fink G., Robinson I.C.A.F. & Tannahill L.A. Corticotrophin-releasing hormone (CRH) and arginine vasopressin (AVP) in hypophysial portal vessel blood of the rat. 43P

Baldwin B.A., Delaney C.E., Forsling M.L. & Thornton S.N. Drinking and vasopressin release following intracerebroventricular injections of hypertonic solutions in minipigs. 44P

Hassan Ahmad, Carter G. & Tooke J.E. Postural vasoconstriction in the human foot during the menstrual cycle. 45P

Pilot Marie-Anne, Qin Xiu Yu & Thompson Hilary A study of the effects of atropine and metoclopramide on the erythromycim-induced gastrointestinal motility changes and emesis in the dog. 46P

Beubler E., Kollar G., Saria A., Bukhave K. & Rask-Madsen J. Role of 5-hydroxytryptamine (5-HT) and PGE_2 in cholera-induced fluid secretion by the rat jejenum *in vivo*. 47P

Andrews P.L.R., Hawthorn J. & Sanger G.J. The effect of abdominal visceral nerve lesions and a novel 5HT-M receptor antagonist on cytotoxic and radiation-induced emesis in the ferret. 48P

Brown C.D.A. & Turnberg L.A. Mechanisms of anion transport across the apical membrane of duodenal enterocytes of the rat. 49P

Stewart C.P. & Turnberg L.A. Electrophysiological response to secretagogues of crypt and villus enterocytes in rat ileum *in vitro*. 50P

Southerton J.S., Taylor S.G. & Weston A.H. Comparison of the effects of BRL34915 and of acetylcholine-liberated EDRF on isolated rat aorta. 51P

Jacobi M.S., Patil C.P. & Saunders K.B. Ventilatory response to pulses of inhaled CO_2 during exercise in man. 52*P*

Patrick J.M. & Western P.J. Ventilatory consequences in man of focussing on breathing and of using a facemask. 53*P*

Marshall Janice M. & Metcalfe J.D. The effects of blockade of pulmonary stretch receptors by sulphur dioxide on the cardiovascular system of the rat in normoxia and hypoxia. 54*P*

Laitinen L.A., Laitinen M.V. Annika & Widdicombe J.G. Nervous control of tracheal vascular resistance in dog. 55*P*

Trenchard D. Blocking action of Methylene Blue on a respiratory reflex mediated by non-myelinated vagal afferent fibres in rabbit. 56*P*

Gorman F. Inhibition by sulpiride of dopamine-induced pulmonary vasodilatation in the ferret. 57*P*

Hanson M.A., Kumar P. & McCooke H.B. Post-natal re-setting of carotid chemoreceptor sensitivity in the lamb. 58*P*

Maxwell D.L., Mottershead J.P. & Nye P.C.G. Light reduces carotid body chemoreceptor discharge in the cat after infusion of almitrine bismesylate. 59*P*

Coren M.E., Cross Brenda A., Forsling Mary L. & Jenkins M.P. The time course of the vasopressin response to hypercapnic acidosis in mechanically ventilated dogs. 60*P*

Angell-James Jennifer E. & Xie Peili Carotid sinus cardiovascular reflexes and their modification by a calcium channel blocker in the rabbit. 61*P*

Mifflin S.W., Spyer K.M. & Withington-Wray D.J. Respiratory modulation of hypoglossal motoneurones in the cat. 62*P*

Waaler B.A., Walloe L. & Wesche Jarlis The effect of respiration on left ventricular stroke volume in man. 63*P*

Jones P.W. & Wakefield Julie M. Respiratory responses to a sustained increase in cardiac output during rhythmic arm exercise in man. 64*P*

Essex T.J.H., Eyre J.A. & Flecknell P.A. Continuous measurement of cerebral blood flow in the rabbit by laser Doppler spectroscopy. 65*P*

King A., Thompson S.W.N. & Woolf C.J. Intracellular recordings from wide dynamic range neurones in the deep dorsal horn of the rat lumbar spinal cord. 66*P*

Cervero F., Plenderleith M.B. & Tattersall J.E.H. The anatomical distribution of sural nerve afferent fibres within the lumbar spinal cord of the rat is not changed by neonatal administration of capsaicin. 67*P*

Fleetwood-Walker S.M., Hope P.J., Mitchell R., Molony V. & El-Yassir N. Effects of tachykinins on sensory processing in the superficial dorsal horn of the cat. 68*P*

Maxwell D.J., Noble R. & Tappaz M.L. Synaptic relationships of glutamic acid decarboxylase-immunoreactive boutons with identified hair-follicle afferent terminals in the feline spinal cord. 69*P*

Fitzgerald M., King A., Thompson S.W.N. & Woolf C.J. The postnatal development of the ventral root reflex: a comparison between *in vivo* and *in vitro* rat spinal cord preparations. 70*P*

Edgley S.A. & Jankowska E. Propriospinal neurones in the middle lumbar segments of the cat spinal cord interposed in reflex pathways from group II muscle afferents to hindlimb motoneurones. 71*P*

Iles J.F. & Pisini J.V. Modulation of spinal reciprocal inhibition during postural sway in man. 72*P*

Dimitrijevic M.R., Holter J., Sedgwick E.M. & Sherwood A.M. Spatial distribution of the cord dorsum potential and its presence during H reflex inhibition in man. 73*P*

Bergamasco B., Bergamini L., Cantello R. & Troni W. Proprioceptive facilitation of muscular responses elicited by cortical stimulation in man. 74*P*

Ashton J.A., Donaldson I.M.L. & Milleret C. Input from extraocular muscle afferents to oculomotor nuclei in the trout. 75*P*

Matthews P.B.C. The effect of cooling the arm on the 'long-latency' response of the human Abductor Digiti Minimi. 76*P*

Baumann K.I., Hamann W. & Leung M.S. Dynamic and static responses of cat s.a.I. mechano-receptors after close arterial infusion of different doses of neomycin. 77*P*

Ashwood T.J. & Wheal H.V. Effects of D-2-amino-5-phosphonovalerate (D-APV) on bursting activity recorded intracellularly from the kainic acid lesioned rat hippocampus *in vitro*. 78*P*

Harris L.R. Adaptation of the vestibulo-ocular reflex does not affect the response to off-vertical axis rotation in the cat. 79*P*

Krnjevic K. & Leblond J. Mechanism of hyperpolarizing response of hippocampal cells to anoxia in isolated slices of rat hippocampus. 80*P*

Cole J.D. Observations on the sense of effort in a man without large myelinated cutaneous and proprioceptive sensory fibres below the neck. 81*P*

Cole J.D., Philip H.I., Rowe I.C.M. & Sedgwick E.M. Banding of tremor frequencies in a finger-holding task in patients with reduced pyramidal or segmental motor outflow. 82*P*

Llewellyn M., Prochazka A. & Vincent S. Transmission of human tendon jerk reflexes during stance and gait. 83*P*

Barker A.T., Eyre J.A., Kenyon B.R. & Miller S. Influence of magnetic stimulation of the brain on spinal reflexes in man. 84*P*

Edgar G.K., Foster D.H. & Heron J.R. Dimming of flickering lights in patients with multiple sclerosis. 85*P*

Barnes G.R. & Eason R.D. Predictive velocity estimation in the ocular pursuit reflex of man. 86*P*

Aram J.A. & Lodge D. NMA receptors and different types of epileptiform activity in rat cortical slices. 87*P*

Blaxter T.J., Boakes R.J. & McBurney R.N. Current–voltage relationships of Purkinje cells in slices of mouse cerebellum. 88*P*

Millar J. & Williams G.V. *In vivo* release of noradrenaline in the rat hippocampus. 89*P*

Mellanby J.H. & Sundstrom L. Long-term reduction in inhibition in rat dentate gyrus after intrahippocampal tetanus toxin. 90*P*

Thomson Alex M. I.p.s.p.s. evoke rebound Ca^{2+} spikes in thalamic neurones in isolated rat brain slices. 91*P*

Salt T.E. Physiologically evoked inhibition mediated by γ-amino-butyric acid (GABA) in the rat ventrobasal thalamus (VB). 92*P*

Amassian V.E. Adversive conditioning of feline contact placing requires basal ganglia, but not cerebellar circuitry. 93*P*

Albery W. John, Bartlett Philip N., Boutelle Martyn G. & Fillenz Marianne An amperometric enzyme electrode for measuring changes in brain glucose in the rat. 94*P*

Reese B.E. Axon diameter spectra across the optic tract of the macaque monkey. 95*P*

Berland M., Bullier J., Dehay C., Jaffar-Bandjee Z & Kennedy H. Callosal connections and cytochrome oxidase staining of visual areas V1 and V2 in the prenatal monkey (*Macaca irus*). 96*P*

Dehay C., Hein A. & Kennedy H. A transient cortical projection to the pyramidal tract in the neonatal ferret. 97*P*

Jeffreys D.A. , Murphy F. & Musselwhite M.J. Human pattern-evoked potentials recorded with textured backgrounds. 98*P*

Bracewell R.M., Husain M. & Stein J.F. Differences in the accuracy of human saccades in the left and right visual fields. 99*P*

Dziegielewska K.M., Hinds L.A., Møllgård K., Reynolds M.L., Saunders N.R. & Tyndale-Biscoe C.H. Blood–brain and blood–c.s.f. barriers in pouch young of tammar wallaby (*M. eugenii*). 100*P*

Gardiner R.M., Ives N.K. & Joshi M. Brain uptake of bilirubin in the rat studied using a single-pass tissue sampling technique. 101*P*

Cserr H.F., DePasquale M. & Pullen R.G.L. Bulk flow of c.s.f. into brain in response to acute hyperosomotic stress in the rat. 102*P*

Fedida D., Noble D., Rankin A.C. & Spindler A.J. Voltage dependence of the transient inward current and related contraction in isolated guinea-pig ventricular myocytes. 103*P*

Fozzard H.A., Hanck D.A. & Sheets M.F. Nonlinear relationships of maximal upstroke velocity to the sodium currents in single canine cardiac Purkinje cells. 104*P*

Hagiwara N., Irisawa H. & Kameyama M. Transient-type calcium current contributes to the pacemaker potential in isolated rabbit sino-atrial cells. 105*P*

Desai S., Jacob R., Lieberman M. & Rosenthal D.S. Ouabain-induced volume changes in cultured embryonic chick heart cells. 106*P*

Gadsby David C. & Nakao Masakazu [Na] dependence of the Na/K pump current–voltage relationship in isolated cells from guinea-pig ventricle. 107*P*

Jacob R. & Lieberman M. Compartmentation of fura2 in cultured embryonic chick heart cells. 108*P*

Berlin J.R., Cannell M.B. & Lederer W.J. Voltage-dependence of the Ca_i^{2+} transient in rat cardiac ventricular cells measured with fura2. 109*P*

Bountra C. & Vaughan-Jones R.D. The influence of pH_i on twitch tension in isolated guinea-pig papillary muscle. 110*P*

Allen D.G., Eisner D.A., Smith G.L. & Valdeolmillos M. The effects of rapid reduction of extracellular calcium concentration on isolated ferret papillary muscle. 111*P*

Eisner D.A., Elliott A.C. & Smith G.L. The decrease of pressure produced by cyanide in isolated ferret hearts is *not* due to intracellular acidosis. 112*P*

Dean J.W., Dilly S.G. & Lab M.J. Reduced after load increases monophasic action potential duration in the *in situ* left ventricle of anaesthetized pigs. 113*P*

Bennett T., Gardiner S.M. & Hebden R.A. Pressor sensitivities to vasopressin and angiotensin II in rats with streptozocin-induced diabetes mellitus. 114*P*

Bennett T., Gardiner S.M. & Harland D. Investigation of the cardiovascular effects of central α_1-adrenoceptor stimulation in conscious Long Evans and Brattelboro rats. 115*P*

Hainsworth R., McGregor K.H. & Tutt S M. Resistance and capacitance responses to changes in left ventricular pressure in anaesthetized dogs. 116*P*

Low J.C. The electroretinogram of heterozygous +rd mice *in vivo*. 117*P*

Brecha N., Lieberman A.R. & Parnavelas J.G. Immunocytochemical evidence that substance P (SP) may be a transmitter or neuromodulator at rabbit retino-geniculate synapses. 118*P*

Brown J.E. & Coles J.A. Simultaneous recording of luciferase luminescence and P_{O_2} in *Limulus* ventral photoreceptor. 119*P*

Breward J. Cutaneous nociceptors in the amputated beak of the chicken. 120*P*

Gregory J.E., Iggo A., McIntyre A.K. & Proske U. Sensory receptors in the bill of the platypus (*Ornithorhynchus anatinus*). 121*P*

Milton J. & Stopp Phyllis E. Chloramphenicol increases the risk of noise-induced hearing loss in the guinea-pig. 122*P*

Neuhaus R. The effect of nifedipine on slow Ca^{2+} inward current and force development in isolated skeletal muscle fibres of the frog. 123*P*

Bookman R.J. & Liu Y. Calcium currents in cultured neurones of the leech. 124*P*

Carbone E. & Lux H.D. External Ca^{2+} ions block unitary Na^+ currents through Ca^{2+} channels of cultured chick sensory neurones by favouring prolonged closures. 125*P*

Morad M., Konnerth A. & Lux H.D. Ion-induced transformation of Ca^{2+} channels in cultured chick and rat sensory neurones. 126*P*

Cobbett P. & Mason W.T. Voltage-activated sodium and calcium currents recorded from cultured neurones of the supraoptic area of the rat hypothalamus. 127*P*

Petersen O.H. & Velasco J.M. Voltage-activation of high-conductance K^+ channel is dependent on local extracellular Ca^{2+} concentration in the RINm5S cell line. 128*P*

Mitra R.L. & Morad M. Permeability and block of the inwardly rectifying K channel in isolated guinea-pig ventricular myocytes by divalent and monovalent ions. 129*P*

Mahaut-Smith Martyn The effect of zinc on calcium and hydrogen ion currents in snail neurones. 130*P*

Thomas R.C. The effect of depolarization and external buffers on the surface pH of voltage-clamped snail neurones. 131*P*

Inenaga K., Mason W.T. & Tibbs A.L.V. Activation by γ-aminobutyric acid of chloride channels in normal isolated bovine lactotrophs. 132*P*

Cottrell G.A., Lambert J.J. & Mistry D.K. Alphaxalone potentiates GABA and activates the $GABA_A$ receptor of mouse spinal neurones in culture. 133*P*

Biscoe T.J., Duchen M.R. & Patterson S.L. Dual actions of glycine on dissociated mouse spinal neurones. 134*P*

Jongsma H.J., Rook M.B. & Van Ginneken A.C.G. The conductance of single gap junctional channels between cultured rat neonatal heart cells. 135*P*

Cervetto L., Lagnado L. & McNaughton P.A. Activation of the Na : Ca exchange in salamander rods by intracellular Ca. 136*P*

Cragoe Jr, J.E., Ehrenfeld J. & Harvey B.J. Evidence for sodium–hydrogen ion exchange in the basolateral membrane of the isolated frog skin epithelium: kinetic studies. 137*P*

Ehrenfeld J. & Harvey B.J. Evidence for basolateral sodium–hydrogen exchange in frog skin epithelium and its role in sodium transport and intracellular pH regulation. 138*P*

Eddy F.B., Primmett D.R.N. & Williams E.M. Transepithelial Cl^- exchange in salmon: effect of adrenaline, acetazolamide and adrenergic antagonists. 139*P*

Borgese F., Garcia-Romeu F. & Motais R. Oxygen controls Na^+/H^+ exchange in trout red cells, but not via metabolism. 140*P*

Fincham D.A., Wolowyk M.W. & Young J.D. Evidence for the presence of system *asc* in erythrocytes from the pacific hagfish (*Eptatretus stouti*). 141*P*

Blackstock Elaine J. & Stewart G.W. Inverse relationship between bumetanide-sensitive and bumetanide-insensitive K influxes in humam red cells from different normal donors. 142*P*

Brown A.M. & Wood M.A. Stoichiometry of sodium : calcium exchange in dog red blood cells. 143*P*

Redhead C.R. Effect of external chloride and PTH on intracellular pH in cultured rat osteoblasts. 144*P*

Allen T.J.A. & Baker P.F. Some properties of a serotonin-sensitive adenylate cyclase studied in the perfused squid axon. 145*P*

McVicar A.J. Renal response to 0·9 % (w/v) saline infusion following a period of 0·45 % saline or 2·5 % dextrose infusion in the rat. 146*P*

Carmichael D.J.S., Peart W.S. & Unwin R.J. Renal tubular effects and changes in whole blood calcium ion activity (a_{Ca}) during calcium chloride ($CaCl_2$) infusion in man. 147*P*

Bradbury M.W.B., Haslam J.D. & Wheeler C.P.D. A class experiment on 'water diuresis' in man after ingestion of isotonic saline. 148*P*

Aiton J.F., Cramb G. & Rugg E.L. Binding of [^{125}I]atrial natriuretic peptide to monolayer cultures of bovine, canine, human and murine cell lines. 149*P*

Phillips M.E. & Taylor A. Nocodazole inhibits the water permeability response to vasopressin in isolated rabbit collecting tubules. 150*P*

Lightman Susan, Palestine A., Rapoport S. & Rechtandt E. Permeability of the retinal capillaries to mannitol and sucrose. 151*P*

Bicknell R.J., Grossmann R., Leng G. & Russell J.A. Hypersensitivity to naloxone in magnocellular neurones of virgin female rats treated chronically with intracerebroventricular (i.c.v.) morphine. 152*P*

Fleetwood-Walker S.M., Hope P.J. & Mitchell R. Delta opioids exert antinociceptive effects in lamina I, but not laminae III–V of rat dorsal horn. 153*P*

Hill R.G., Hughes J., Leighton G. & Rodriguez R.E. Behavioural effects of [D-Pen^2, D-Pen^5]-enkephalin and ICI 174,864 after intrathecal injection in the rat. 154*P*

Pippard Corinna & Roddie I.C. Intrinsic and extrinsic propulsion of lymph when lymph flow is increased by rhythmic compression of the sheep's foot. 155*P*

McGeown J.G., McHale N.G. & Thornbury K.D. Afferent lymph flow in the sheep hind limb following intra-arterial infusion of noradrenaline. 156*P*

Wolfe-Murphy V.B., Atha J.A. & Edwards R.J. Does posture influence upper body anaerobic power in man? 157*P*

Spielholz N. & van der Kloot W. Quantal size increases without detectable change in vesicle size at the frog neuromuscular junction. 158*P*

Richardson C.E. & Smith Margaret E. Effect of phospholipase C at the isolated neuromuscular junction *in vitro* in the immature rat. 159*P*

Kucera Jan Postnatal maturation of deafferented muscle spindles in the rat. 160*P*

Booth C.M. & Brown M.C. Innervated muscle fibres in partly denervated mouse muscles transiently express N-CAM. 161*P*

Al-Amood W.S. & Lewis D.M. Long-term denervation compared in rat and guinea-pig skeletal muscles. 162*P*

Ribchester R.R. & Rowand W.S. Differentiation of isolated mouse skeletal muscle fibres cultured on a laminin substratum. 163*P*

Elzinga G., van Hardeveld C. & Leijendekker W.J. Tension-independent and -dependent heat production during contraction of skeletal muscle of euthyroid and hypothyroid mice. 164*P*

Csernoch L., Kovacs L. & Szucs G. How caffeine modifies calcium redistribution during contractile activation in frog skeletal muscle fibres. 165*P*

Csernoch L., Huang C.L.-H., Kovacs L. & Szucs G. Charge movement components and calcium transients in isolated frog skeletal muscle fibres. 166*P*

Egginton S. Differential effects of an anabolic hormone on aerobic capacity of rat striated muscle. 167*P*

Blakeley A.G.H., Dunn P.M. & Petersen S.A. Properties of high resistance smooth muscle cells in the isolated mouse vas deferens. 168*P*

Moonen C.T.W., Radda G.K. & Yonge R.P. Gradually increasing dynamic work mimics prolonged steady-state exercise in man – ^{31}P magenetic resonance spectroscopy (m.r.s.) study. 169*P*

El-Khelly F., Hudlicka O. & Osborne M.P. Mechanisms of action of inorganic phosphate in the relaxation of mammalian vascular smooth muscle. 170*P*

Ashley C.C., Griffiths P.J., Maeda Y. & Potter J.D. Relation between sacromere length, aequorin light emission and isometric force in intact, isolated *Balanus nubilus* muscle fibres. 171*P*

Bedford L.A. & Griffiths P.J. Mechanical measurements on skinned muscle fibres from *Balanus nubilus*. 172*P*

POSTER COMMUNICATIONS

Spencer P.M. & Wheal H.V. Non-dopaminergic projections from the substantia nigra and the ventral tegmental area to the hippocampus in the rat. 173*P*

Hammond P. & Shorrocks I.M.E. Stimulus-dependent characteristics of complex cells in cat striate cortex. 174*P*

Ikeda Hisako, Robbins J. & Wakakuwa K. Postnatal elimination of dopaminergic innervation on feline retinal ganglion cells? 175*P*

Becker D.L. & Cook J.E. Refinement of brachial selection by regenerating axons in the goldfish optic tract may be due to collateral loss. 176*P*

Coles Sharon K. Mesencephalic apnoeic regions in the rat. 177*P*

Dray A. & Perkins M.N. Blockade of nociceptive responses in the neonatal rat spinal cord *in vitro* by excitatory amino acid antagonists. 178*P*

Blakemore Colin, Jack J.J.B., Larkman A.U. & Mason A. Electrical geometry of spiny neurones in slices of cat and rat visual cortex studied using intracellular recording and horseradish peroxidase. 179*P*

Appenteng K., Batten T.F.C. & Oakley B.A. An alternative method for visualization of immunohistochemical reactions in HRP-labelled neurones. 180*P*

Chowdhury Muhammad & Fillenz Marianne Taurine and L-glutamate as transmitters in dendrosomes isolated from the substantia nigra of the rat. 181*P*

Sillar K. Glycine-mediated phase-dependent gating of sensory input during swimming in *Xenopus* embryos. 182*P*

Bicknell R.J., Chapman C. & Zhao Bai-ge Opioid-noradrenergic interactions and the regulation of oxytocin secretion in the rat neurohypophysis. 183*P*

Dray A. & Hankins M. Non-cholinergic slow potentials in guinea-pig inferior mesenteric ganglion (IMG) evoked by colonic distension and colonic nerve stimulation. 184*P*

Heller S.R., Herbert M., Macdonald I.A. & Tattersall R.B. An investigation of the thresholds for hypoglycaemic responses in normal man. 185*P*

Chatamra K.-R. & Daniel P.M. Changes in the ammount of glycogen in the livers of fasted rats. 186*P*

Bingham S. A comparison of the effects of 5HT and vagal stimulation on antral motility in the anaesthetized ferret. 187*P*

Andrews P.L.R., Davies C.J., Grahame-Smith D.G. & Leslie R.A. Increase in [^{3}H]-2-Deoxyglucose uptake in the ferret area postrema produced by apomorphine administration or electrical stimulation of the abdominal vagus. 188*P*

Capiod T., Field Anne, Ogden D.C. & Sandford Christine Increase of potassium and chloride conductance with internal perfusion of inositol trisphosphate of calcium ions in guinea-pig isolated hepatocytes. 189*P*

Fugelli K. & Thoroed S.M. Volume-regulatory taurine transport in flounder erythrocytes. 190*P*

Marples D. & Taylor A Effect of N-ethyl maleimide (NEM) on transepithelial water flow and ultrastructure of toad urinary bladder. 191*P*

Smith R.A.J. Evidence for two open states of different conductance in delayed rectifier potassium channels of mouse neuroblastoma. 192*P*

Azzopardi P.J., Manning W., Ward K.M. & Wareham A.C. Effect of immobilization during development on subsequent fibre composition and fatigue resistance of rat soleus muscle. 193*P*

Reedy Mary C., Reedy M.K. & Tregear R.T. The relation between muscle stiffness and crossbridge appearance in the flight muscle of the waterbug Lethocerus. 194*P*

Ashley C.C. & Lea T.J. Calcium transients obtained from barnacle myofibrillar bundles using aequorin. 195*P*

Leoty C. & Noireaud J. External calcium and contraction in denervated rat twitch muscles. 196*P*

Davies B.N., Greenwood Elizabeth J. & Jones S.R. The relationship between lean limb volume and performance in the standing long jump and handgrip tests in young adult males and females. 197*P*

Kocharians Anahid & Sneddon J.M. Effect of cadmium on renin release from rat kidney slices. 198*P*

Pippard Corinna & Roddie I.C. The effect of rhythmic compression of the sheep's hoof on local lymph flow. 199*P*

Székely G., Randić M. & Urban L. Intracellular labelling of neurones in rat and frog spinal cord with a low-toxicity cobalt compound. 200*P*

Fincham D.A., Wolowyk M.W. & Young J.D. Volume-sensitive taurine transport in eel and flounder erythrocytes. 201*P*

Preston Robert L., Chen Chang Wen & Mead David A. Role of taurine in the regulation of cell volume by the coelomocytes of the marine polychaete, *Glycera dibeanchiata*. 202*P*

Welling Dan J. & Welling Larry W. Is a heteroporous membrane the cause of volume regulation in the absence of active transport in the rabbit nephron? 203*P*

Abita J.P., Frelin C. & Ladoux A. The coexistence of two pH_i-regulating mechanisms on promyelocytic U937 cells. 204*P*

Chassande O., Frelin C., Jean T., Lazdunski M. & Vigne P. Sequential activation of membrane ion-transporting systems during the response of glial cells to hyperosmotic solutions. 205*P*